

MATERIAL SAFETY DATA SHEET- BELLA STRIPER

SECTION I

Chemical Product and Company Identification

Product Name: BELLA STRIPER

Chemical Family: Solvent

Manufacturer/Distributor/Importers: Bellissima International Inc
P.O. Box 669
Soquel, CA 95073

Emergency Phone:
Other Calls: 888-428-4357

Prepared By: BI Lab Division
Date prepared: 12/01/09

Poison Control Center - Chem Tel: (800) 255-3954
Poison Control Center -Chem Tel : (813) 248-0573

SECTION II

Composition, Information or Ingredients

Chemical Identity	%	CAS Number	OSHA (PEL)	Exposure Limits in Air	
				ACGIH (TLV)	Other
Hazardous Materials:					
Isopropyl Alcohol	95-100	67-63-0	400 ppm	400 ppm	500 ppm
Chlorothymol	<2	89-83-8	NE	NE	

SECTION III

Hazard Identification

HMIS Rating Scale: 0 = Minimal 1 = Slight 2 = Moderate 4 = Severe

This Products Rating: Health: 2 Flammability: 3 Reactivity: 1

Material Appearance: Clear light liquid

Primary Route of Entry: Inhalation X Skin X Ingestion X

Ingredient(s) Listed as Cancer Causing Agents?:

NTP - no LARC Monographs - no OSHA - no

Target Organs Affected: Respiratory and Nervous systems.

Short Term Effects

Inhalation: May cause dizziness if inhaled for a prolonged time

Eyes: May cause stinging if product gets into open eyes.

Skin: May cause dry skin if exposed repeatedly and over a prolonged period of time.

MATERIAL SAFETY DATA SHEET- BELLA STRIPER

Appearance: Clear

Physical Form: liquid

%/Wt. Volatiles: @21C(69F):100 %

pH: n/a

Odor: Solvent & mild odor

Melting Point: n/a

Vapor Pressure (mm Hg): 33 @ 21C / 69 F

Vapor Density: (Air = 1) 2.1 @ 21 C / 69 F

Evaporation Rate: (BuAc=1) 1.4 (Ether =1)

Flashpoint:(MEK) -12 C (53 F) TCC

SECTION X

Stability and Reactivity

Chemical Stability: This product is stable under the recommended storage conditions.

Conditions to avoid: Heat, Open flame, and sparks form ignition sources. Storage in temperatures above 35 C. Do not store in aluminium equipment at temperatures above 120 F (49C)

Contact with Materials to avoid: strong oxidizing agents.

Hazardous Decomposition Products: carbon monoxide and unidentified organic compounds may be formed during combustion.

Hazardous Polymerization: will not occur.

SECTION XI

Toxicological Information

	LD50(Oral Rat)	LC50 (Inhal. Rat)
	5840 mg/kg	12000 ppm / 8 hours
Ingestion:	Aspiration into lungs when swallowed or vomited may cause chemical pneumonitis.	
Eyes:	This product may be a temporary eye irritant if it gets into the open eye.	
Dermal:	May cause dry skin if exposed repeatedly and over a prolonged time.	
Inhalation	May cause dizziness, headache or nausea if exposed for a prolonged time	
Overexposure:	all of the above	
Chronic Effects:	n/a	
Carcinogenic:	Not listed as a carcinogen by IARC, NTP, OSHA, or ACGIH	
Target Organs:	n/a	

SECTION XII

Ecological Information

Eco-toxic none

SECTION XIII

Disposal Considerations

Waste Disposal: Dispose of absorbed material in accordance with local, state and federal regulations.

SECTION XIV

Transport Information

Road Transport:		Maritime Transport:	
Class:	3	UN Number:	1219
Packaging Group:	III	Class:	3
Label:	3	Packaging Group:	II
UN Number:	1219	Label:	3
		Flash Point:	12 C, Method TCC

MATERIAL SAFETY DATA SHEET- BELLA STRIPER

Air Transport:

UN No. ID8000
Class: 3
Packaging Group: II
Packaging instr.: 910 (Passenger)

SECTION XV

Regulatory Information

Labelling:

Symbol: F
Indication of Danger: Flammable
Risk Phrases: Flammable
DOT Shipping Name: Isopropanol

SECTION XVI

Other Information

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interoperation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

***These Products Are Designed and Formulated for Professional Salon Use.
They Must be Used with Adequate Ventilation and in Accordance with Manufacturers Instructions.***

Abbreviations Used:

NE = Not Established	IPA = Isopropyl Alcohol (Rubbing Alcohol)
NKn = Not Known	mm Hg = Millimetres of Mercury
n/a = Not Applicable	PEL = Permissible Exposure Limit
C = Ceiling Limit	TLV = Threshold Limit Value
TS = Trade Secret	STEL = Short Term Exposure Limit
EST = Estimated	NEGL = Negligible
N/DA = No Data Available	NF = None Found
NTP = National Toxicology Program	CAS = Chemical Abstract Service Number
IRAC = International Agency for Research on Cancer	NR = Not Required
CHEMTREC = Chemical Transportation Emergency Center	
OSHA = Occupational Safety and Health Administration	

MATERIAL SAFETY DATA SHEET- BELLA STRIPER
